

Your Way, Your Style.



PQI announces 2.5" SATAII SSD S527 that features a maximum read speed of 240MB/sec and a write speed of 161MB/sec. Both numbers are of significant improvements over products in the same category. S527 uses carefully selected flash memory modules and configured in Raid functionality, transfer rates are dramatically improved. Perfect for professionals often working with large file capacities such as audio / visual or other multimedia formats.

In addition to its ultra fast transfer rate, the 2.5inch PQI S527 has retained its SSD traits of low power consumption, quiet operation, shock and vibration proof. PQI's S527 is available in 32GB~256GB capacities and comes with a 2-year warranty.

2.5" SATAII SSD S527 Specifications

Interface: SATA II (SATA I compatible)

Transfer speed: R: 240 MB/sec
W: 161 MB/sec

Capacity: 128GB/ 256GB

Dimension: 99.88 x 69.96 x 9.3 mm (3.96 x 2.75 x 0.36 in)

Weight: 90 g (0.199lb)

Warranty: 2 years



TAIWAN

POWER QUOTIENT INTERNATIONAL CO., LTD.
TEL: +886-2-82265288
www.pqigroup.com

CHINA - Shanghai
PQI (Shanghai) CO., LTD.
TEL: +86-21-52307687

USA

PQI CORPORATION
TEL: +1-510-6517281

CHINA - Shenzhen
PQI (Shenzhen) CO., LTD.
TEL: +86-755-22167250

THE NETHERLANDS

PQI EUROPE B.V.
TEL: +31-73-6273555

CHINA-Beijing
PQI (Beijing) CO., LTD.
TEL: +86-010-82486592

JAPAN

PQI JAPAN CO., LTD.
TEL: +81-3-58354545

CHINA - Hong Kong
PQI (H.K.) CO., LTD.
TEL: +852-27074118

General Description

PQ1 2.5 inch SATA Solid State Disk (SSD) S527 ~ Using standard 2.5 inch SATA hard drive dimension, built-in RAID, shock and vibration proof qualities, it is the perfect laptop hard drive replacement. Offering a maximum read speed of 240MB/sec and a write speed of 161MB/sec, it is the ultimate boost juice for your laptop.



Features

- Standard SATAII interface
- Built-in RAID
- Stable and high transfer rate
- Quiet operation
- 5V operating voltage

Performance

Item	Read	Write	Random Read	Random Write
2.5inch	240 MB/s	161 MB/s	120MB/s	23.2 MB/s

Capacities

Item	Mechanical Height	Capacities
2.5inch	9.3mm	128GB,256GB

Dimensions

Item	Length	Width	Height
2.5inch	99.88	69.96	9.3

±0.15 mm

Power Supply

- Voltage: DC +5.0V ± 10%

Reliability

- MTBF > 2,000,000 Hours

Environment

- Shock
 - Operating: 1,500G, duration 0.5ms, half sine wave
 - Vibration: 20G peak, 10~2KHz with 3axis
- Humidity: 0°C~55°C / 95% RH, 10cycles
- Temperature
 - Operating Temperature: -10°C ~ +70°C
 - Storage Temperature: -40°C ~ +85°C

Compliance:

- Fully Compliant with RoHS directive
- CE and FCC compatibility

Warranty: 2-year

UNITRONIX Pty Ltd

PO Box 486, Morisset NSW 2264

NSW: Tel: 61 2 4977 3511 Fax: 61 2 4977 3522

WA: Tel: 61 8 9455 2424 Fax: 61 8 9455 2458

unitsyd@unitronix.com.au www.unitronix.com.au

勁永國際股份有限公司

POWER QUOTIENT INTERNATIONAL CO., LTD.

電話：02-82265288

傳真：02-82265268~9

客服專線：0800-200-186

網址：www.pqigroup.com

售後服務中心

台北展售服務中心

台北市八德路1段34號A06(彩虹3C廣場)

Tel:02-2356-7266 Fax:02-2356-7267

台中展售服務中心

台中市英才路508號B10(台中NOVA, 地下1樓)

Tel: 04-23297522 Fax: 04-23297523

